01-022-N118-10965 4 pgs.

Rebel Equipment Inc.

New & Used Drilling & Servicing Equipment

P.O. Box 142 Cashion, OK 73016 Phone: (405) 433-9064 Fax: (405) 433-9134

December 5th, 2005

Administration National Highway Traffic Safety Administration 400 Seventh Street, SW Washington, DC 20590 Attn: VIN Coordinator

Subject: VIN Decoding Information for Rebel Equipment Inc.

In accordance with 565 7(c) of 49 CFR Part 565, Vehicle Identification Number, Rebel Equipment Inc. hereby submits Vehicle Identification Number (VIN) decoding information.

Vin Position	Vin Character	Vehicle Description	Description Section Options
1	1	Manufacturer	World Manufacturer ID Code (WMI)
2	R	Make	Assigned by NHTSA and SAE
3	9	Class	
4	В	Model	SR (Workover Rig Carrier)
	J	Model	DR (Drilling Rig Carrier)
	M	Model	SWR (Swab Rig Carrier)
	X	Model	Special (Details to be recorded)
5	C	Chassis/Cab	I Beam 90,000 lb. Single Occupant
	R	Chassis/Cab	I Beam 60,000 lb. Single Occupant
	X	Chassis/Cab	Special (Details to be recorded)
6	1	Engine type	Detroit series 60, 6 cylinder diesel
	2	Engine type	Detroit series 50, 4 cylinder diesel
	3	Engine type	Caterpillar series C11, 6 cylinder diesel
	4	Engine type	Caterpillar series C13, 6 cylinder diesel
	5	Engine type	Caterpillar series C15, 6 cylinder diesel
	6	Engine type	Caterpillar 3126B, 4 cylinder diesel

	7	Engine type	Detroit series 2000, 12 cylinder diesel	
7	0	Axle config	Single (steering 2 tires) Single (drive 4 tires)	
	1	Axle config	Single (steering 2 tires) Tandem (drive 8 tires)	
	2	Axle config	Tandem (steering 4 tires) Tandem (drive 8 tires)	
	3	Axle config	Tandem (steering 4 tires) Tridem (drive 12 tires)	
	4.	Axle config	Tandem (steering 4 tires) Tandem (drive 8 tires) Tag (rear 4 tires)	
	5	Axle config	Tridem (steering 6 tires) Tandem (drive 8 tires) Pusher (4 tires)	
	6	Axle config	Tandem (steering 4 tires) Tandem (drive 8 tires) Pusher (4 tires)	
	7	Axle config	Tridem (steering 6 tires) Tandem (drive 8 tires) Tag (rear 4 tires)	
	8	Axle config	Tridem (steering 6 tires) Tridem (drive 12 tires)	
	9	Axle config	Tridem (steering 6 tires) Tridem (drive 12 tires) Tag (rear 4 tires)	
8	1	GVWR	Less than 44,000 lbs (20,000 kg)	
	2	GVWR	44,000 lbs (20,000 kg) to 75,000 lbs (34,000 kg)	
	3	GVWR	Greater than 75,000 lbs (34,000 kg)	
9	TBC	Check Digit	Calculate See 49 CFR 565 4	
10	Model Year	- 5	2005	
	Model Year	6	2006	
	Model Year	7	2007	
	Model Year	8	2008	
	Model Year	9	2009	
11	Plant Location	A	Oklahoma	
12	WMI	5	Assigned by SAE	
13	WMI	6	Assigned by SAE	
14	WMI	7	Assigned by SAE	
15	Sequential	Production Num.	001	

16	Sequential	Production Num	
17	Sequential	Production Num	

Rebel Equipment Inc.

New & Used Drilling & Servicing Equipment

P.O. Box 142 Cashion, OK 73016 Phone: (405) 433-9064 Fax: (405) 433-9134

Owners of Company:

Jerry Freeman

Mark Burrow

Mark Richardson

Brian Smith

City of Incorporation:

Cashion, Oklahoma, USA

Product Manufactured:

Rebel Equipment Inc. builds Truck Oilfield Workover Rigs.

GVWR:

Truck Oilfield Workover Rigs GVWR of 30,000 lbs to 148,000

lbs.

Capacity of Signatory (President)